



NIO ES8  
Standard Safety Equipment

2021



Adult Occupant



82%

Child Occupant



84%

Vulnerable Road Users



72%

Safety Assist



92%

SPECIFICATION

Tested Model	NIO ES8, 6 seat, LHD
Body Type	- 5 door SUV
Year Of Publication	2021
Kerb Weight	2435kg
VIN From Which Rating Applies	- all ES8s
Class	Large Off-Road

SAFETY EQUIPMENT

	Driver	Passenger	Rear
FRONTAL CRASH PROTECTION			
Frontal airbag	●	●	—
Belt pretensioner	●	●	●
Belt loadlimiter	●	●	●
Knee airbag	✗	✗	—
LATERAL CRASH PROTECTION			
Side head airbag	●	●	●
Side chest airbag	●	●	✗
Side pelvis airbag	●	●	✗
Centre Airbag	✗	✗	—

Version 091122

## SAFETY EQUIPMENT (NEXT)

	Driver	Passenger	Rear
CHILD PROTECTION			
Isofix/i-Size	—	×	●
Integrated CRS	—	×	×
Airbag cut-off switch	—	●	—
SAFETY ASSIST			
Seat Belt Reminder	●	●	●

OTHER SYSTEMS	
Active Bonnet	×
AEB Vulnerable Road Users	●
AEB Pedestrian - Reverse	×
AEB Car-to-Car	●
Speed Assistance	●
Lane Assist System	●

**Note:** Other equipment may be available on the vehicle but was not considered in the test year.

- Fitted to the vehicle as standard    ○ Fitted to the vehicle as part of the safety pack  
 ○ Not fitted to the test vehicle but available as option or as part of the safety pack    × Not available    — Not applicable



ADULT OCCUPANT

Total 31.5 Pts / 82%



GOOD



ADEQUATE



MARGINAL




WEAK



POOR

Frontal Impact

13.3 / 16 Pts



Mobile Progressive Deformable Barrier



Full Width Rigid Barrier

Lateral Impact

12.5 / 16 Pts



Side Mobile Barrier



Side Pole



Far-Side Excursion



Occupant Interaction

Rear Impact

3.7 / 4 Pts



Rear Seat



Front Seat



## ADULT OCCUPANT

Total 31.5 Pts / 82%

 GOOD

 ADEQUATE

 MARGINAL

 WEAK

 POOR

## Rescue and Extrication

2.0 / 2 Pts

Rescue Sheet	Available, ISO compliant	
Advanced eCall	Available	
Multi Collision Brake	Available	

## Comments

The passenger compartment of the ES8 remained stable in the frontal offset test. Dummy numbers showed good protection of the knees and femurs of both the driver and passenger. NIO showed that a similar level of protection would be provided to occupants of different sizes and to those sitting in different positions. Analysis of the deceleration of the impact trolley during the test, and analysis of the deformable barrier after the test, revealed that the ES8 would be a aggressive impact partner in a frontal collision. In the full-width rigid barrier test, good or adequate protection was provided to all critical body areas, for both the driver and rear passenger. In the film of the test, it can be seen that part of the B-pillar trim becomes detached during the test. This was due to incorrect re-fitting of the trim by the test laboratory after acceleration sensors were installed, and is not a characteristic of the vehicle. Dummy readings were unaffected by the detached trim and a re-test was deemed unnecessary. In the side barrier test, protection of all critical body areas was good and the car scored maximum points in this part of the assessment. In the more severe side pole impact, protection of the driver's chest was rated as marginal, based on dummy readings of rib compression. Excursion (the extent to which a body is thrown from one side of the vehicle to the other when it is struck on the far side) was marginal. The ES8 is not equipped with a counter-measure to protected against occupant to occupant injury in such impacts. Tests on the front seats and head restraints demonstrated good protection against whiplash injuries in the event of a rear-end collision. A geometric analysis of the rear seats also indicated good whiplash protection. The ES8 is equipped with multi-collision braking, to prevent secondary impacts, and has an advanced eCall system which alerts the emergency services of the vehicle's location in the event of a serious accident.

## CHILD OCCUPANT

Total 41.5 Pts / 84%

■ GOOD
 ■ ADEQUATE
 ■ MARGINAL
 ■ WEAK
 ■ POOR

Crash Test Performance based on 6 &amp; 10 year old children

24.0 / 24 Pts

Frontal Impact

16 Pts



Lateral Impact

8 Pts



Restraint for 6 year old child: *Britax Römer KidFix II S*  
 Restraint for 10 year old child: *Britax Römer KidFix II S*

## Safety Features

6.0 / 13 Pts

	Front Passenger	2nd row outboard	2nd row center	3rd row outboard
Isofix	✗	●	✗	●
i-Size	✗	●	✗	✗
Integrated CRS	✗	✗	✗	✗

● Fitted to test car as standard
 ○ Not on test car but available as option
 ✗ Not available

## CRS Installation Check

11.5 / 12 Pts

● Install without problem    
 ● Install with care    
 ● Safety critical problem    
 ✗ Installation not allowed

## ■ i-Size CRS

Maxi Cosi 2way Pearl &amp; 2wayFix (i-Size)



Maxi Cosi 2way Pearl &amp; 2wayFix (i-Size)



BeSafe iZi Kid X2 i-Size (i-Size)



Britax Römer TriFix2 i-Size (i-Size)



BeSafe iZi Flex FIX i-Size (i-Size)



## ■ ISOFIX CRS

BeSafe iZi Combi X4 ISOfix (ISOFIX)



Cybex Solution Z i-Fix (ISOFIX)





CHILD OCCUPANT

Total 41.5 Pts / 84%

■ Universal Belted CRS

Maxi Cosi Cabriofix (Belt)



Maxi Cosi Cabriofix & EasyFix (Belt)



Britax Römer King II LS (Belt)



Cybex Solution Z i-Fix (Belt)







## CHILD OCCUPANT

Total 41.5 Pts / 84%

	Seat Position					
	Front	2nd row			3rd row	
	PASSENGER	LEFT	CENTER	RIGHT	LEFT	RIGHT
Maxi Cosi 2way Pearl & 2wayFix (i-Size)	—	●	—	●	—	—
Maxi Cosi 2way Pearl & 2wayFix (i-Size)	—	●	—	●	—	—
BeSafe iZi Kid X2 i-Size (i-Size)	—	●	—	●	—	—
Britax Römer TriFix2 i-Size (i-Size)	—	●	—	●	—	—
BeSafe iZi Flex FIX i-Size (i-Size)	—	●	—	●	—	—
BeSafe iZi Combi X4 ISOfix (ISOFIX)	—	●	—	●	●	●
Cybex Solution Z i-Fix (ISOFIX)	—	●	—	●	●	●
Maxi Cosi Cabriofix (Belt)	●	●	●	●	●	●
Maxi Cosi Cabriofix & EasyFix (Belt)	●	●	✗	●	✗	✗
Britax Römer King II LS (Belt)	●	●	●	●	●	●
Cybex Solution Z i-Fix (Belt)	●	●	●	●	●	●

● Install without problem
 ● Install with care
 ● Safety critical problem
 ✗ Installation not allowed

— Not available

## Comments

In both the frontal offset test and the side barrier impact, the ES8 provided good protection to all critical body areas of both the 6 year and 10 year dummy, and scored maximum points in this part of the assessment. The front passenger airbag can be disabled to allow a rearward facing child restraint to be used in that seating position. Clear information is provided to the driver regarding the status of the airbag and the system was rewarded. The user manual states that child restraints that make use of a support leg should not be used in the third row seats. A seven seat variant is available, with three seats in the second row. The centre seat of this second row cannot accommodate universal child restraints. With these exceptions, all child restraints could be properly installed and accommodated in the car.



VULNERABLE ROAD USERS

Total 39.3 Pts / 72%



GOOD



ADEQUATE



MARGINAL



WEAK



POOR

Pedestrian

26.2 / 36 Pts



Head Impact	15.6 Pts
Pelvis Impact	5.1 Pts
Leg Impact	5.5 Pts

Vulnerable Road Users

13.1 / 18 Pts

System Name	AEB
Type	Auto-Brake with Forward Collision Warning
Operational From	6 km/h



## VULNERABLE ROAD USERS


Total 39.3 Pts / 72%

## AEB Pedestrian

6.8 / 9 Pts

## ■ Day time

Vehicle reversing into standing pedestrian




Pedestrian crossing a road into which a car is turning



Adult crossing the road



Child running from behind parked vehicles



Adult along the roadside




## ■ Night time

Adult crossing the road



Adult along the roadside





## VULNERABLE ROAD USERS

Total 39.3 Pts / 72%


## AEB Cyclist

6.3 / 9 Pts

Cyclist from nearside, obstructed view



Approaching a crossing cyclist



Cyclist along the roadside



## Comments

The bonnet surface provided mostly good or adequate protection to the head of a struck pedestrian but poor results were recorded on the stiff windscreen pillars. Protection of pedestrians' legs was predominantly good, although areas of marginal protection were also recorded. Likewise, protection of the pelvis was generally good but with some areas offering weak protection. The autonomous emergency braking (AEB) system of the eS8 can detect vulnerable road users such as pedestrians and cyclists, as well as other vehicles. In tests of its response to pedestrians, it performed well, with collisions avoided in most situations. The system does not include 'AEB reverse' functionality. In tests of the system's reaction to cyclists, it performed adequately.



## SAFETY ASSIST

Total 14.8 Pts / 92%

 GOOD


 ADEQUATE

 MARGINAL

 WEAK


 POOR

## Speed Assistance


 3.0 / 3 Pts









System Name	Speed Assist System
Speed Limit Information Function	Camera & Map, subsigns supported
Speed Limitation Function	System advised (accurate to 5km/h)




## Occupant Status Monitoring

 3.0 / 3 Pts


## &gt; Seatbelt Reminder

 2.0 / 2 Pts

Applies To	Front and rear seats, including optional third row		
Warning	Driver Seat	Front Passenger(s)	Rear Passenger(s)
Visual			
Audible			
Occupant Detection	—		

 Pass
  Fail
  Not available

## &gt; Driver Monitoring

 1.0 / 1 Pts

System Name	Driver Monitoring System (DMS)
Type	Direct eye monitoring and steering inputs
Operational From	22 km/h



SAFETY ASSIST

Total 14.8 Pts / 92%

Lane Support

4.0 / 4 Pts

System Name	LSS
Type	LKA and ELK
Operational From	65 km/h
PERFORMANCE	
Emergency Lane Keeping	GOOD
Lane Keep Assist	GOOD
Human Machine Interface	GOOD

AEB Car-to-Car

4.8 / 6 Pts

System Name	AEB
Type	Autonomous emergency braking and forward collision warning
Operational From	6 km/h
Sensor Used	camera and radar




## SAFETY ASSIST


Total 14.8 Pts / 92%

## ■ Autobrake function only


Car turning across the path of an oncoming car




Approaching a stationary car




Approaching a stationary car




Approaching a stationary car




Approaching a slower moving car




Approaching a slower moving car



Approaching a slower moving car



Approaching a braking car






## SAFETY ASSIST


Total 14.8 Pts / 92%

### ■ Driver reacts to warning


Approaching a stationary car




Approaching a stationary car




Approaching a stationary car




Approaching a slower moving car




Approaching a slower moving car



Approaching a slower moving car



Approaching a braking car







## SAFETY ASSIST

Total 14.8 Pts / 92%

## Comments

The ES8's AEB system performed well in tests of its response to other vehicles, with collisions avoided or mitigated in the great majority of test situations. The car is equipped with a seatbelt reminder system, including occupant detection, for the front and rear seats and also monitors the driver's eyes and steering inputs for signs of fatigue or impaired driving. Speed assistance is provided by a system which uses a camera and digital mapping to ascertain the local limit, and presents this information to the driver, allowing the speed limiter to be set appropriately. The lane support system gently corrects the vehicle's path if it is drifting out of lane and also intervenes in some more critical situations to prevent the vehicle from leaving the road.

RATING VALIDITY

Variants of Model Range

Body Type	Engine	Model Name	Drivetrain	Rating Applies	
				LHD	RHD#
5 door SUV 6 seat*, 7 seat	electric	ES8	4 x 4	✓	-

\* Tested variant  
# Available as LHD only

Annual Reviews and Facelifts

Date	Event	Outcome	
September 2021	Rating Published	2021 ★★★★★	✓