



[www.euroncap.com](http://www.euroncap.com)

EUROPEAN NEW CAR  
ASSESSMENT PROGRAMME

# Technical Bulletin

## **Brain Injury Calculation**

**Version 1.0.1**

**21<sup>st</sup> March 2023**

**TB 035**

Title	Brain injury calculation
Version	1.0.1
Document Number	TB 035
Author	J Ellway, V Sandner, A Eggers, M Masuda
Date	21 <sup>st</sup> March 2023
Related Documents	MPDB testing protocol, AOP Assessment protocol
Status	Information
Application Date	1 <sup>st</sup> January 2023

**Copyright ©Euro NCAP 2023** - This work is the intellectual property of Euro NCAP. Permission is granted for this material to be shared for non-commercial, educational purposes, provided that this copyright statement appears on the reproduced materials and notice is given that the copying is by permission of Euro NCAP. To disseminate otherwise or to republish requires written permission from Euro NCAP.

## **Preface**

DISCLAIMER: Euro NCAP has taken all reasonable care to ensure that the information published in this document is accurate and reflects the technical decisions taken by the organisation. In the unlikely event that this protocol contains a typographical error or any other inaccuracy, Euro NCAP reserves the right to make corrections and determine the assessment and subsequent result of the affected requirement(s).

# EUROPEAN NEW CAR ASSESSMENT PROGRAMME (Euro NCAP)

## Table of Contents

1. Introduction.....	1
2. 2023 Criterion .....	2
3. 2025 Criterion .....	6
4. References.....	7

## **1. Introduction**

Mild traumatic brain injury is a frequent occurrence in vehicle accidents. Over the last five years, the Euro NCAP Frontal Impact Working Group (FIWG) and Brain Injury Working Group (BIJ) have been investigating rotational brain injury metrics. With the adoption of the MPDB frontal impact test and a more capable test tool in the THOR dummy, more measurement possibilities are available upon which to base a brain injury criterion.

The FIWG has reviewed kinematic injury criteria, human brain Finite Element (FE) models along with their associated injury risk curves. A large number of brain injury criteria and injury risk curves are available that are supported by a broad range of injury databases. It is important to ensure that any criterion offers a relevant prediction of brain tissue injury risk. Euro NCAP aims to address reversible brain injuries of AIS2 severity.

Implementation of a brain injury assessment will be applied to Euro NCAP assessments published from the 1<sup>st</sup> of January 2023 in combination with the existing skull fracture assessment. A more complex FE based assessment will be implemented in 2025.

## 2. 2023 Criterion

### 2.1 DAMAGE

2.1.1 Calculation of the Diffuse Axonal Multi-Axis General Evaluation (DAMAGE) criterion is defined in the THOR dummy technical report ISO TR 19222, see Section 4.1.

2.1.2 This criterion is applied to the THOR driver dummy in the MPDB frontal impact for all assessments published from 1st January 2023.

2.1.3 Head rotational velocity, filtered at CFC 60, shall be used to generate rotational acceleration throughout the impact.

2.1.4 DAMAGE is not evaluated for vehicles without frontal airbags. 0 points will be awarded to the head and neck assessment as detailed in the Euro NCAP Adult Occupant Protection Assessment protocol.

2.1.5 Calculation:

$$\begin{bmatrix} m_x & 0 & 0 \\ 0 & m_y & 0 \\ 0 & 0 & m_z \end{bmatrix} \begin{Bmatrix} \ddot{\delta}_x \\ \ddot{\delta}_y \\ \ddot{\delta}_z \end{Bmatrix} + \begin{bmatrix} c_{xx} + c_{xy} + c_{xz} & -c_{xy} & -c_{xz} \\ -c_{xy} & c_{xy} + c_{yy} + c_{yz} & -c_{yz} \\ -c_{xz} & -c_{yz} & c_{xz} + c_{yz} + c_{zz} \end{bmatrix} \begin{Bmatrix} \dot{\delta}_x \\ \dot{\delta}_y \\ \dot{\delta}_z \end{Bmatrix} + \begin{bmatrix} k_{xx} + k_{xy} + k_{xz} & -k_{xy} & -k_{xz} \\ -k_{xy} & k_{xy} + k_{yy} + k_{yz} & -k_{yz} \\ -k_{xz} & -k_{yz} & k_{xz} + k_{yz} + k_{zz} \end{bmatrix} \begin{Bmatrix} \delta_x \\ \delta_y \\ \delta_z \end{Bmatrix} = \begin{bmatrix} m_x & 0 & 0 \\ 0 & m_y & 0 \\ 0 & 0 & m_z \end{bmatrix} \begin{Bmatrix} \ddot{u}_x \\ \ddot{u}_y \\ \ddot{u}_z \end{Bmatrix}$$

$$DAMAGE = \beta \max_t \{ |\vec{\delta}(t)| \}$$

$$\vec{\delta}(t) = [\delta_x(t) \quad \delta_y(t) \quad \delta_z(t)]^T, \beta = \text{scale factor}$$

$m$  = mass,  $c_{ij}$  = damping,  $k_{ij}$  = stiffness

$\ddot{\delta}, \dot{\delta}, \delta$  = acceleration, velocity, displacement

$\ddot{u}$  = applied angular acceleration

$m_x = 1 \text{ kg}, m_y = 1 \text{ kg}, m_z = 1 \text{ kg}$

$k_{xx} = 32142 \text{ N/m}, k_{yy} = 23493 \text{ N/m}, k_{zz} = 16935 \text{ N/m},$

$k_{xy} = 0 \text{ N/m}, k_{yz} = 0 \text{ N/m}, k_{xz} = 1636.3 \text{ N/m}, a1 = 5.9148 \text{ ms},$

$\beta = 2.9903 \text{ 1/m}$


$[c] = a1 \times [k]$

## 2.2 Assessment

2.2.1  $0.47 > \text{DAMAGE} \geq 0.42$  (50% risk AIS2) **-1 point** modifier applied to the driver's head assessment.

2.2.2  $\text{DAMAGE} \geq 0.47$  **-2 point** modifier applied to the driver's head assessment.

## 2.3 DAMAGE Injury risk curves (AIS2)



2.3.1 The probability of injury  $P$  is calculated as follows:

$$P = 1 - e^{\left(-e^{\left(\frac{1}{b} \cdot \ln(dy+c) - \frac{a}{b}\right)}\right)}$$

Where  $a$  and  $b$  are coefficients corresponding to the shape ( $1/b$ ) and scale ( $e^a$ ) parameters in the Weibull distribution and  $y$  is the kinematics-based brain injury metric (DAMAGE). The coefficients and quality indexes are:

Scale ( $e^a$ ) = 0.459

Shape  $1/b = 3.875$

Intercept ( $c$ ) = 0.017

Slope ( $d$ ) = 0.957 (AIS 2)

## 2.4 Calculation window

2.4.1 When calculating DAMAGE, a time window is specified to exclude certain secondary contacts between the head and vehicle interior. Note, this window does not apply to either HIC or 3ms exceedance calculations.

2.4.2 The exclusion criteria are based upon those used by JNCAP.

2.4.3 This criterion will be evaluated during the loading and early rebound phases of the impact over a max period from  $T_0$  up to 200ms.

2.4.4 The time window will be reduced to less than 200ms if, during head rebound, a secondary impact results in an external force on the head drops below -500N.




- 2.4.5 The external force acting on the head shall be calculated using the head x acceleration and upper neck x force using the formula below.
- 2.4.6 End the calculation when:  $F_{external\ x} < -500N$

$$F_{external\ x} = -M_{Head} \times a_{Head\ x} + F_{Neck_{upper}\ x}$$

Where  $M_{Head} = 4.2kg$ .

2.4.7 Example:

In the example below,  $F_{external\ x}$  (green line) calculates a force of  $<-500N$  (I.e. more negative) at a time of 180ms. The high-speed film confirmed the presence of a secondary contact between the dummy head and vehicle interior. Therefore, the DAMAGE criterion shall be calculated between T0 and 180ms.



### **3. 2025 Criterion**

- 3.1 Euro NCAP is undertaking accident data analyses and reconstruction via CAE to evaluate predicted brain injury risk of candidate criteria.
- 3.2 Brain injury numerical simulation tools and associated injury risk curves are currently under review.
- 3.3 An advanced brain injury criterion will be implemented in 2025.

## 4. References

### 4.1 DAMAGE

Development of a Second-Order System for Rapid Estimation of Maximum Brain Strain DAMAGE. Lee F Gabler, Jeff R Crandall, Matthew B Panzer, 2019.

### 4.2 Injury risk curves

$pAIS2+(BRIC) MPS = 1 - \exp(-\text{POWER}(BRIC/0,602;2,84))$  Takhoumts 2013

$pAIS2+(BRIC) CDSM = 1 - \exp(-\text{POWER}((BRIC - 0,523)/0,324;1,8))$  Takhoumts 2013

$pAIS2+(BRIC) = 1/(1 + 7,82 + BRIC * 9,1352)$  UVA

$pAIS2+(UBRIC) = 1/(1 + 6,4706 + UBRIC * 17,1171)$  Gabler 2018

$pAIS2+(DAMAGE) = 1/(1 + 7,1552 + DAMAGE * 19,9975)$  Gabler 2018

$pAIS2+(KTH\_strain) = 1/(1 + \exp(3,7151 - 8,0517 * KTH\_strain))$  Kleiven

$pAIS2+(\Delta\omega) = 1/(1 + \exp(5,4314 - 0,0913 * \Delta\omega))$  Kleiven

$pAIS2+(SUFEM\_vm\_stress) = 1/(1 + 3,178 + 0,087 * SUFEM\_vm\_stress)$  Willinger