

2017





## Adult Occupant









80%

VRU Impact Protection







Safety Assist

73%

## **SPECIFICATION**

Tested Model	Land Rover Discovery, 2.0 diesel HSE, RHD
Body Type	- 5 door SUV
Year Of Publication	2017
Kerb Weight	2390kg
VIN From Which Rating Applies	- all Discoverys
Class	Large Off-Road



Rating Expired



# SAFETY EQUIPMENT

	Driver	Passenger	Rear
FRONTAL CRASH PROTECTION			
Frontal airbag	•	•	×
Belt pretensioner	•	•	•
Belt loadlimiter	•	•	•
Knee airbag	×	×	×
SIDE CRASH PROTECTION			
Side head airbag	•	•	•
Side chest airbag	•	•	×
Side pelvis airbag	•	•	×

	Driver	Passenger	Rear
CHILD PROTECTION			
Isofix/i-Size	_	0	•
Integrated CRS	_	×	×
Airbag cut-off switch	_		_
SAFETY ASSIST			
Seat Belt Reminder	•		



## **SAFETY EQUIPMENT (NEXT)**

	Driver	Passenger	Rear
CHILD PROTECTION			
Isofix/i-Size	<del>_</del>	0	•
Integrated CRS		×	×
Airbag cut-off switch		•	_
SAFETY ASSIST			
Seat Belt Reminder	•	•	•

OTHER SYSTEMS	
Active Bonnet (Hood)	×
AEB Pedestrian	•
AEB City	•
AEB Inter-Urban	•
Speed Assistance System	•
Lane Assist System	•

Note: Other equipment may be available on the vehicle but was not considered in the test year.

O Not fitted to the test vehicle but available as option or as part of the safety pack X Not available — Not applicable







Total 34.3 Pts / 90%






















Total 34.3 Pts / 90%


#### Comments

The passenger compartment of the Discovery remained stable in the frontal offset test. Dummy readings indicated good protection of the knees and femurs for both the driver and passenger. Land Rover showed that a similar level of protection would be provided to occupants of different sizes and to those sat in different positions. There was insufficient pressure in the driver's airbag to prevent the head from 'bottoming out' against the steering wheel, and the car was penalised for this. In the full-width rigid barrier test, protection of the driver was good apart from the chest, protection of which was adequate. Readings of chest compression in the rear passenger dummy indicated marginal protection for this body area, with good protection of all others. Dummy readings indicated good protection of all critical body regions in both the side barrier test and the more severe side pole impact. However, in the barrier test, the driver's door became unlatched and the car was penalised. Tests on the front seats and head restraints demonstrated good protection against whiplash injury in the event of a rear-end collision. However, a geometric assessment of the rear seats indicated poor whiplash protection. The Discovery has, as standard, an autonomous emergency braking system. In tests of its low-speed functionality, the system performed well with impacts avoided up to 35km/h and the impact speed reduced up to 50km/h.





Total 39.5 Pts / 80%



Crash Test Performance based on 6 & 10 year old children

21.6 Pts





Restraint for 6 year old child: *Britax Römer Kidfix XP* Restraint for 10 year old child: *Graco Booster Basic* 

Safety Features 7.0 Pts

	Front Passenger	2nd row outboard	2nd row center	3rd row outboard *
Isofix	0	•	×	•
i-Size	0	•	×	•
Integrated CRS	×	×	×	×

- \* Third row seats available as option
  - Fitted to test car as standard
     Not on test car but available as option
- 🗶 Not available



CRS Installation Check 10.8 Pts

■ Install without problem
● Install with care
● Safety critical problem
X Installation not allowed

#### i-Size CRS







#### ISOFIX CRS













Total 39.5 Pts / 80%

#### Universal Belted CRS









#### Comments

In the frontal offset test, protection of the neck of the 10 year dummy was rated as marginal, as was that of the chest of the 6 year dummy. Otherwise, protection was good or adequate. In the side barrier test, protection of both dummies was rated as good and maximum points were scored. The front passenger airbag can be disabled to allow a rearward-facing child restraint to be used in that seating position. Clear information is provided to the driver and the system was rewarded. Most of the restraint types for which the Discovery is designed could be properly installed and accommodated in the vehicle.



Total 39.5 Pts / 80%

		Seat Position				
	Front	2nd row		3rd row		
	PASSENGER	LEFT	CENTER	RIGHT	LEFT	RIGHT
Maxi Cosi 2way Pearl & 2wayFix (rearward) (iSize)	•	•	_	•	•	
Maxi Cosi 2way Pearl & 2wayFix (forward) (iSize)		•	_	•	•	
BeSafe iZi Kid X2 i-Size (iSize)	•	•	_	•	•	•
Maxi Cosi Cabriofix & FamilyFix (ISOFIX)	•	•	_	•	•	•
BeSafe iZi Kid X4 ISOfix (ISOFIX)	•	•	_	•	•	•
Britax Römer Duo Plus (ISOFIX)	•	•	_	•	•	
Britax Römer KidFix XP (ISOFIX)	•	•	_	•	•	
Maxi Cosi Cabriofix (Belt)	•	•	•	•	•	
Maxi Cosi Cabriofix & EasyBase2 (Belt)	•	•	•	•	•	
Britax Römer King II LS (Belt)	•	•	•	•	•	
Britax Römer KidFix XP (Belt)	•	•	•	•	•	•

Easy
------









— Not available


### Comments

In the frontal offset test, protection of the neck of the 10 year dummy was rated as marginal, as was that of the chest of the 6 year dummy. Otherwise, protection was good or adequate. In the side barrier test, protection of both dummies was rated as good and maximum points were scored. The front passenger airbag can be disabled to allow a rearward-facing child restraint to be used in that seating position. Clear information is provided to the driver and the system was rewarded. Most of the restraint types for which the Discovery is designed could be properly installed and accommodated in the vehicle.





Total 31.7 Pts / 75%




	6.0 Pts			
Autonomous Emergency Braking				
Auto-Brake with For	vard Collision Warning			
10	km/h			
Defaults on for every journey; operates	above 40km/h and in low ambient light			
PERFORMANCE   PE				
Autobrake Function				
Avoidance	Mitigation			
Collision avoided up to 40 km/h	Impact mitigated up to 60 km/h			
Collision avoided up to 40 km/h	Impact mitigated up to 60 km/h			
Collision avoided up to 40 km/h	Impact mitigated up to 60 km/h			
	Auto-Brake with Form  10 I  Defaults on for every journey; operates  Autobrak  Avoidance  Collision avoided up to 40 km/h  Collision avoided up to 40 km/h			

#### Comments

The protection provided to the head of a struck pedestrian was good or adequate at most test locations, with some poor results recorded along the front edge of the bonnet. The protection offered by pedestrians' legs by the bumper was good and maximum points were scored. Protection of the pelvis was mixed, with some good and some poor areas. The autonomous emergency braking system scored maximum points in Euro NCAP's tests of its pedestrian protection, with complete avoidance of the target up to 40km/h and adequate speed mitigation thereafter.





Lane Support	1.7 Pts

System Name	Lane Keeping Aid
Туре	Lane Departure Warning
Operational From	50 km/h
PERFORMANCE	
LDW Confirmation Test	Pass



Total 8.8 Pts / 73%

AEB Inter-Urban 2.6 Pts

System Name	Autonomous Emergency Braking			
Туре	Forward Collision Warning with Auto-Brake			
Operational From	5 km/h			
Additional Information	Default On; Supplementary Warning			
PERFORMANCE   PE				
	Autobrake Function Only	Driver reacts to warning		
Operational Speed	5-85 km/h	30-85 km/h		
Approaching a stationary car	See AEB City	Crash avoided up to 50km/h. Crash speed reduced up to 80km/h.		
Approaching a slower moving car	Crash avoided up to 60km/h. Crash speed reduced up to 70km/h.	Crash avoided up to 75km/h. Crash speed reduced up to 80km/h.		
FOLLOWING A CAR AT SHORT DISTANCE				
Car in front brakes gently	Mitigation	Avoidance		
Car in front brakes harshly	Mitigation	Mitigation		
FOLLOWING A CAR AT LONG DISTANCE				
Car in front brakes gently	Mitigation	Mitigation		
Car in front brakes harshly	Mitigation	Avoidance		

#### Comments

Tests of the autonomous emergency braking system performed well in tests of its functionality at highway speeds. A lane departure warning system is fitted as standard equipment, as is a driver-set speed limiter. A seatbelt reminder is standard equipment on all seating positions including, if fitted, the optional third row seats.

# RATING VALIDITY

## Variants of Model Range

Body Type	Engine and Transmission	Drivetrain	Rating Applies	
			LHD	RHD
5 door SUV, 5 or 7 seat	2.0 diesel I4 (180PS or 240PS), 8 speed auto with single/double transfer box	4 x 4	✓	<b>✓</b>
5 door SUV, 5 or 7 seat	3.0 diesel V6, 8 speed auto with single/double transfer box	4 x 4	~	~
5 door SUV, 5 or 7 seat	3.0 petrol V6, 8 speed auto with single/double transfer box	4 x 4	~	~
5 door SUV, 5 or 7 seat	3.0 diesel I6, 8 speed auto with single/double transfer box	4 x 4	<b>✓</b>	~
5 door SUV, 5 or 7 seat	3.0 petrol I6, 8 speed auto with single/double transfer box	4 x 4	~	~

### Annual Reviews and Facelifts

Date	Event	Outcome	M
March 2017	Rating Published	2017 🗙 🗙 🗙 🗙	✓

<sup>\*</sup> Tested variant

Date	Event	Outcome	
March 2010	7 WINDOV FREVIEW		
March 2019	Annual Review	2017 🛊 🛊 🛊 🛊	✓
March 2020	Annual Review	2017 ★ ★ ★ ★	✓
March 2021	Facelift Review	2017 ★ 🖈 🖈 ★	<b>✓</b>
December 2021	Annual Review	2017 🗙 🗙 🗙 🗙	<b>✓</b>