
# **TEST RESULTS**






Honda Civic Standard Safety Equipment







# SPECIFICATION

Tested Model	Honda Civic 1.0 SE, RHD
Body Type	- 5 door hatchback
Year Of Publication	2017
Kerb Weight	1292kg
VIN From Which Rating Applies	- all Civics of the specification tested
Class	Small Family Car

X Rating Expired



# SAFETY EQUIPMENT

	Driver	Passenger	Rear
FRONTAL CRASH PROTECTION			
Frontal airbag	•	•	×
Belt pretensioner		•	٠
Belt loadlimiter		•	٠
Knee airbag	×	×	×
SIDE CRASH PROTECTION			
Side head airbag	•	•	٠
Side chest airbag		•	×
Side pelvis airbag	×	×	×

	Driver	Passenger	Rear
CHILD PROTECTION			
Isofix/i-Size	_	×	•
Integrated CRS	—	×	×
Airbag cut-off switch			—
SAFETY ASSIST			
Seat Belt Reminder	•	•	•




# SAFETY EQUIPMENT (NEXT)


	Driver	Passenger	Rear
CHILD PROTECTION			
Isofix/i-Size	—	×	٠
Integrated CRS		×	×
Airbag cut-off switch			_
SAFETY ASSIST			
Seat Belt Reminder	•		٠

OTHER SYSTEMS	
Active Bonnet (Hood)	×
AEB Pedestrian	•
AEB City	•
AEB Inter-Urban	•
Speed Assistance System	•
Lane Assist System	•

Note: Other equipment may be available on the vehicle but was not considered in the test year.

- Fitted to the vehicle as standard
  Fitted to the vehicle as part of the safety pack
- 🚫 Not fitted to the test vehicle but available as option or as part of the safety pack 🛛 🗙 Not available 🛛 🗕 Not applicable











Total 35.0 Pts / 92%

### Comments

The passenger compartment remained stable in the frontal offset test. Dummy readings indicated good protection of the knees and femurs of the driver and passenger. Honda showed that a similar level of protection would be provided to occupants of different sizes and to those sat in different positions. In the full-width rigid barrier test, protection of the driver was good or adequate. However, for the rear passenger, dummy readings of chest compression indicated a weak level of protection for this part of the body. For the side barrier and side pole tests, the Civic scored maximum points with good protection of all critical body areas. Tests on the front seats and head restraints demonstrated good protection against whiplash injuries in the event of a rear-end collision. However, a geometric assessment of the rear seats indicated poor whiplash protection in those positions. The standard-fit autonomous emergency braking system performed well in tests of its functionality at the low speeds typical of city driving at which many whiplash injuries are caused, with collisions avoided at all test speeds.







Restraint for 6 year old child: *Britax Römer Kidfix XP* Restraint for 10 year old child: *Nania* 

### Safety Features

6.0 Pts

	Front Passenger	2nd row outboard	2nd row center
Isofix	×	•	×
i-Size	×	•	×
Integrated CRS	×	×	×

Fitted to test car as standard

Not on test car but available as option

🗙 Not available

# TEST RESULTS



# CRS Installation Check 11.3 Pts Image: Install without problem Image: Install with care Safety critical problem Image: Installation not allowed Image: Install without problem Image: Ima



X

### Britax Römer KidFix XP (ISOFIX)





BeSafe iZi Kid X4 ISOfix (ISOFIX)





# 🔄 CHILD OCCUPANT

Total 33.0 Pts / 67%

### Universal Belted CRS



### Maxi Cosi Cabriofix & EasyBase2 (Belt)






### Britax Römer KidFix XP (Belt)



### Comments

In the frontal offset test, dummy readings of neck tensions indicated marginal protection for both the 6 and the 10 year dummy. In the 10 year dummy, chest deceleration also indicated weak protection of this part of the chest. In the side barrier test, the head of the 10 year dummy (on the impacted side) 'bottomed out' the curtain airbag and a hard contact was recorded. This hard contact and the head injury values it generated indicated poor head protection. The front passenger airbag can be disabled to allow a rearward-facing child restraint to be used in that seating position. Clear information is provided to the driver regarding the status of the airbag and the system was rewarded. Nevertheless, universal restraints failed the installation test on the front passenger seat owing to the position of the buckle. Otherwise, all restraint types for which the Civic is designed could be installed and accommodated in the car.






### Total 33.0 Pts / 67%

		Seat Position			
	Front	2nd row			
	PASSENGER	LEFT	CENTER	RIGHT	
Maxi Cosi 2way Pearl & 2wayFix (rearward) (iSize)	_	•	_		
Maxi Cosi 2way Pearl & 2wayFix (forward) (iSize)	_	•	_		
BeSafe iZi Kid X2 i-Size (iSize)	_	•	_		
Maxi Cosi Cabriofix & FamilyFix (ISOFIX)	_	•	_		
BeSafe iZ Kid X4 ISOfix (ISOFIX)	_	•	_		
Britax Römer Duo Plus (ISOFIX)	_	•	_		
Britax Römer KidFix XP (ISOFIX)	_	•	_		
Maxi Cosi Cabriofix (Belt)	•	•	•		
Maxi Cosi Cabriofix & EasyBase2 (Belt)	•	•	×		
Britax Römer King II LS (Belt)	•	•	•		
Britax Römer KidFix XP (Belt)	•				

### Comments

In the frontal offset test, dummy readings of neck tensions indicated marginal protection for both the 6 and the 10 year dummy. In the 10 year dummy, chest deceleration also indicated weak protection of this part of the chest. In the side barrier test, the head of the 10 year dummy (on the impacted side) 'bottomed out' the curtain airbag and a hard contact was recorded. This hard contact and the head injury values it generated indicated poor head protection. The front passenger airbag can be disabled to allow a rearward-facing child restraint to be used in that seating position. Clear information is provided to the driver regarding the status of the airbag and the system was rewarded. Nevertheless, universal restraints failed the installation test on the front passenger seat owing to the position of the buckle. Otherwise, all restraint types for which the Civic is designed could be installed and accommodated in the car.





EB Pedestrian		4.6 P	
System Name	Collision Mitigatic	n Braking System	
Туре	Auto-Brake with Forward Collision Warning		
Operational From	5 k	m/h	
Additional Information	Defaults on for every journey; operates above 40km/h and in low ambient light		
	Autobrak	e Function	
	Autobrake	e Function Mitigation	
Running Adult crossing from Farside			
	Avoidance	Mitigation	
Running Adult crossing from Farside	Avoidance Collision avoided up to 20 km/h	Mitigation Impact mitigated up to 35 km/h	

### Comments

The bonnet provided predominantly good or adequate protection to the head of a struck pedestrian but weak and poor results were recorded along the base of the windscreen and along the stiff windscreen pillars. The protection provided by the bumper to pedestrians' legs was good at all test locations and maximum points were scored. Protection of the pelvis was also good. The autonomous emergency braking system can detect pedestrians as well as other vehicles. In tests, the system performed well with impacts avoided or mitigated at all test speeds.

Euro NCAP © Honda Civic July 2017 12/15



# Speed Assistance 2.3 Pts System Name Intelligent Speed Limiter Speed Limit Information Function Camera based, subsigns supported Warning Function System advised Speed Limitation Function System advised

### Seatbelt Reminder

# Applies ToAll seatsWarningDriver SeatFront Passenger(s)Rear Passenger(s)Vsual●●●●Audible●●●●

Pass 🔴 Fail — Not available

### Lane Support

2.7 Pts

3.0 Pts

System Name	Road Departure Mitigation
Туре	Lane Keep Assist and Lane Departure Warning
Operational From	72 km/h
Warning	Audible
PERFORMANCE	
LKA Confirmation Test	Pass (5/5)
LDW Confirmation Test	Pass

# 🛜 SAFETY ASSIST



Total 10.7 Pts / 88%

### AEB Inter-Urban

2.7 Pts

System Name	Collision Mitigation Brake System			
Туре	Forward Collision Warning with Auto-Brake			
Operational From		5 km/h		
Additional Information	Default On			
PERFORMANCE				
	Autobrake Function Only	Driver reacts to warning		
Operational Speed	5-200 km/h	5-200 km/h		
Approaching a stationary car	See AEB City	Crash avoided up to 75km/h. Crash speed reduced up to 80km/h.		
Approaching a slower moving car	Crash avoided up to 70km/h. Crash avoided up to 80km/h.			
FOI	LLOWING A CAR AT SHORT DISTANCE			
Car in front brakes gently	Avoidance	Avoidance		
Car in front brakes harshly	Mitigation	Avoidance		
FOLLOWING A CAR AT LONG DISTANCE				
Car in front brakes gently	Avoidance	Avoidance		
Car in front brakes harshly	Avoidance	Avoidance		

### Comments

The autonomous emergency braking system performed well in the tests of its functionality at highways speeds, with collisions avoided or mitigated at all test speeds. The Civic has a seatbelt reminder system for the front and rear seats. Also standard is an intelligent speed limiter. This indicates the local speed limit to the driver, who can then choose to set the limiter appropriately. A lane keep assistance system alerts the driver when the car is drifting out of lane and gently steers the car away from the lane marking.



# RATING VALIDITY

### Variants of Model Range

Body Type	Engine	Drivetrain	Rating Applies	
			LHD	RHD
5 door hatchback	1.0 petrol*	4x2		~
5 door hatchback	1.5 petrol	4x2		N/A

### \* Tested variant

### Annual Reviews and Facelifts

Date	Event	Outcome	
July 2017	Rating Published	2017 ★★★★☆☆☆	~
November 2017	For Civics built after 25th Sept 2017 (SHHFK6**0HU014114 and SHHFK7**0HU011421 on), see 2017 reassessment	2017 ★★★★☆☆☆	~