



2017






Adult Occupant









Safety Assist

85%

VRU Impact Protection







59%

SPECIFICATION

Tested Model	BMW 630d GT, LHD
Body Type	- 5 door estate
Year Of Publication	2017
Kerb Weight	1900kg
VIN From Which Rating Applies	- all 6 Series GT
Class	Executive



Rating Expired

General comments

The BMW 6 Series GT shares a platform and much of its structure with the BMW 5 Series, tested earlier in 2017, and has the same level of safety equipment. Accordingly, some tests in this assessment are carried over from the 5 Series. Additional tests have been done where differences might exist.



SAFETY EQUIPMENT

	Driver	Passenger	Rear
FRONTAL CRASH PROTECTION			
Frontal airbag	•	•	×
Belt pretensioner	•	•	•
Belt loadlimiter	•	•	•
Knee airbag	•	×	×
SIDE CRASH PROTECTION			
Side head airbag	•	•	•
Side chest airbag	•	•	×
Side pelvis airbag	×	×	×
CHILD PROTECTION			
Isofix/i-Size	_	×	•
Integrated CRS	_	×	×
Airbag cut-off switch	_	•	_
SAFETY ASSIST			

OTHER SYSTEMS	
Active Bonnet (Hood)	•
AEB Pedestrian	•
AEB City	•
AEB Inter-Urban	•
Speed Assistance System	•
Lane Assist System	0

Seat Belt Reminder

Note: Other equipment may be available on the vehicle but was not considered in the test year.

Fitted to the vehicle as standard	Fitted to the vehicle as part of the safety p	ac
ritted to the vehicle as standard) Fitted to the vehicle as part of the safety p	ac

O Not fitted to the test vehicle but available as option or as part of the safety pack X Not available — Not applicable







Total 33.0 Pts / 86%






















Total 33.0 Pts / 86%

Comments

The passenger compartment of the remained stable in the offset frontal impact. Dummy readings indicated good protection of the knees and femurs of the driver and passenger. BMW demonstrated that, for the passenger's side, a similar level of protection would be provided to occupants of different sizes and to those sat in different positions. On the driver's side, incorrect deployment of the knee airbag in the full-width test led to penalties for this body region in both frontal impact tests. In the full-width frontal test, the knee airbag did not deploy quickly enough to get between the right knee and the dashboard. Although dummy readings for both legs were good, protection of the knee/femur/pelvis region was penalised. BMW stated that the airbag deployment seen in Euro NCAP's test was anomalous and had not been observed in their development tests. Protection of the neck of the driver and the chest of the rear passenger was rated as marginal. In the side barrier test, maximum points were scored, with good protection of all critical body regions. However, in the more severe side pole test, chest protection was rated as poor due to high shoulder loads. Tests on the front seats and head restraints demonstrated good protection against whiplash injuries in the event of a rear-end collision. A geometric assessment of the rear seats indicated good protection there too. The car has, as standard, and autonomous emergency braking system which operates at the low speeds, typical of city driving, at which many whiplash injuries are caused. The system scored maximum points in Euro NCAP's tests, with complete avoidance of collision at all test speeds.



Total 42.0 Pts / 85%



Crash Test Performance based on 6 & 10 year old children

23.0 Pts





Restraint for 6 year old child: *Britax Römer KidFix XP* Restraint for 10 year old child: *Graco Junior*

Safety Features 7.0 Pts

	Front Passenger	2nd row outboard	2nd row center
Isofix	×	•	×
i-Size	×	•	×
Integrated CRS	×	×	×

Fitted to test car as standard

O Not on test car but available as option

🗶 Not available



CRS Installation Check 12.0 Pts



i-Size CRS







ISOFIX CRS







Britax Römer KidFix XP (ISOFIX)







Total 42.0 Pts / 85%

Universal Belted CRS











Comments

In the frontal offset test, protection of both the both dummies was good or adequate except for the chest of the 6 year dummy which was rated as marginal based on chest decelerations. The front passenger airbag can be disabled to allow a rearward-facing child restraint to be used in that seating position. Clear information is provided to the driver regarding the status of the airbag and the system was rewarded. All of the restraint types for which the 6 Series GT is designed could be properly installed and accommodated in the car.



Total 42.0 Pts / 85%

		Seat Position		
	Front		2nd row	
	PASSENGER	LEFT	CENTER	RIGHT
Maxi Cosi 2way Pearl & 2wayFix (rearward) (iSize)	_	•	_	•
Maxi Cosi 2way Pearl & 2wayFix (forward) (iSize)	_	•	_	•
BeSafe iZi Kid X2 i-Size (iSize)	_	•	_	•
Maxi Cosi Cabriofix & FamilyFix (ISOFIX)	_	•	_	•
BeSafe iZ Kid X4 ISOfix (ISOFIX)	_	•	_	•
Britax Römer Duo Plus (ISOFIX)	_	•	_	•
Britax Römer KidFix XP (ISOFIX)	_	•	_	•
Maxi Cosi Cabriofix (Belt)	•	•	•	•
Maxi Cosi Cabriofix & EasyBase2 (Belt)	•	•	×	•
Britax Römer King II LS (Belt)	•	•	•	•
Britax Römer KidFix XP (Belt)	•	•	•	•

Easy



Difficult



Safety critical



★ Not allowed

— Not available

Comments

In the frontal offset test, protection of both the both dummies was good or adequate except for the chest of the 6 year dummy which was rated as marginal based on chest decelerations. The front passenger airbag can be disabled to allow a rearward-facing child restraint to be used in that seating position. Clear information is provided to the driver regarding the status of the airbag and the system was rewarded. All of the restraint types for which the 6 Series GT is designed could be properly installed and accommodated in the car.



🔥 VRU IMPACT PROTECTION

Total 34.1 Pts / 81%

GOOD	ADEQUATE	MARGINAL	WEAK	POOR	

VRU Impact Protection 28.8 Pts



Head Impact	22.8 Pts
Pelvis Impact	0.0 Pts
Leg Impact	6.0 Pts

ALD Fedesuloli		۲. ک		
System Name	AEB	3 VRU		
Туре	Auto-Brake			
Operational From	10	km/h		
Additional Information	Defaults on for every journey	; operates in low ambient light		
PERFORMANCE PE				
	Autobrake Function			
	Avoidance	Mitigation		
Running Adult crossing from Farside	Collision avoided up to 45 km/h	Impact mitigated up to 60 km/h		
Walking Adult crossing from Nearside -25%	Collision avoided up to 45 km/h	Impact mitigated up to 60 km/h		
Walking Adult crossing from Nearside -75%	Collision avoided up to 40 km/h	Impact mitigated up to 60 km/h		
Running Child from behind parked vehicles	Collision avoided up to 35 km/h	Impact mitigated up to 50 km/h		

Comments

AEB Pedestrian

The 6 Series GT has an 'active' bonnet. Sensors detect when a pedestrian has been struck and actuators lift the bonnet, providing greater clearance between its top surface and hard structures in the engine bay. BMW demonstrated that the system worked for a variety of pedestrian statures and over a range of speeds so tests were conducted with the bonnet in the raised position. Good or adequate protection was provided at all over the entire bonnet surface. The bumper also provided good protection and scored maximum points in tests of its protection of pedestrians' legs. However, protection of the pelvis area was poor at all test locations. The autonomous braking system is able to detect pedestrians as well other vehicles and performed well in Euro NCAP's tests of this functionality, with collisions being avoided or mitigated at most test speeds.

Speed Assistance



1.5 Pts



System Name	SAS
Speed Limit Information Function	N/A
Warning Function	Manually set
Speed Limitation Function	Manually set (accurate to 5km/h)

Seatbelt Reminder 3.0 Pts

Applies To		All seats	
Warning	Driver Seat	Front Passenger(s)	Rear Passenger(s)
Visual	•	•	•
Audible	•	•	•

Pass Fail — Not available

Lane Support 0 Pts





Total 7.1 Pts / 59%

AEB Inter-Urban 2.6 Pts

System Name	AEB			
Туре	Forward Collision Wa	ming with Auto-Brake		
Operational From	30 km/h			
Additional Information	Defa	ult On		
PERFORMANCE PE				
	Autobrake Function Only	Driver reacts to warning		
Operational Speed	30-80 km/h	30-80 km/h		
Approaching a stationary car	See AEB City	Crash avoided up to 80km/h.		
Approaching a slower moving car	Crash avoided up to 70km/h. Crash avoided up to 80km/h			
FOI	LLOWING A CAR AT SHORT DISTANCE			
Car in front brakes gently	Avoidance	Avoidance		
Car in front brakes harshly	Mitigation	Mitigation		
FOLLOWING A CAR AT LONG DISTANCE				
Car in front brakes gently	Avoidance	Avoidance		
Car in front brakes harshly	Avoidance	Avoidance		

Comments

The standard-fit autonomous emergency braking system showed good performance in tests of its functionality at highway speeds.

Collision was avoided in almost all circumstances and mitigated in others. A driver-set speed assistance system allows the driver to limit the maximum speed of the vehicle as appropriate, and a seatbelt reminder is provided for all seating positions.



RATING VALIDITY

Variants of Model Range

Body Type	Engine & Transmission	Model Name/Code	Drivetrain	Rating Applies	
				LHD	RHD
5 door estate	3.0 diesel	630d*	4 x 2	✓	✓
5 door estate	3.0 diesel	630xd	4 × 4	✓	✓
5 door estate	3.0 diesel	640xd	4 × 4	✓	✓
5 door estate	3.0 petrol	640xi	4 × 4	✓	✓
5 door estate	3.0 petrol	640i	4 x 2	✓	✓
5 door estate	2.0 petrol	630i	4 x 2	✓	✓

^{*} Tested variant

Annual Reviews and Facelifts

Date	Event	Outcome	
December 2017	Rating Published	2017 🛨 🛨 🛨 🛨	✓
December 2018	Annual Review	2017 ★ 🖈 🛧 ★	✓
December 2019	Annual Review	2017 ★ 🖈 🛧 ★	✓