



Audi Q3
Standard Safety Equipment

2025



Adult Occupant



87%

Child Occupant



86%

Vulnerable Road Users



80%

Safety Assist



78%

SPECIFICATION

Tested Model	Audi Q3 SUV TFSI 110 kW, LHD
Body Type	- 5 door SUV
Year Of Publication	2025
Kerb Weight	1705kg
VIN From Which Rating Applies	- all Audi Q3s
Class	Small SUV

SAFETY EQUIPMENT

	Driver	Passenger	Rear
FRONTAL CRASH PROTECTION			
Frontal airbag	●	●	—
Belt pretensioner	●	●	●
Belt loadlimiter	●	●	●
Knee airbag	✗	✗	—
LATERAL CRASH PROTECTION			
Side head airbag	●	●	●
Side chest airbag	●	●	○
Side pelvis airbag	●	●	○
Centre Airbag	●	✗	—

	Driver	Passenger	Rear
CHILD PROTECTION			
Isofix/i-Size	—	●	●
Integrated CRS	—	✗	✗
Airbag cut-off switch	—	●	—
Child presence detection	—	✗	●
SAFETY ASSIST			
Seat Belt Reminder	●	●	●

SAFETY EQUIPMENT (NEXT)

OTHER SYSTEMS		
Active Bonnet		✖
AEB Vulnerable Road Users		●
AEB Pedestrian - Reverse		○
Cyclist Dooring Prevention		○
AEB Motorcyclist		●
AEB Car-to-Car		●
Speed Assistance		●
Lane Assist System		●
Fatigue / Distraction Detection		●

Note: Other equipment may be available on the vehicle but was not considered in the test year.

- Fitted to the vehicle as standard
- Fitted to the vehicle as part of the safety pack
- Not fitted to the test vehicle but available as option or as part of the safety pack
- ✖ Not available
- Not applicable

 ADULT OCCUPANT

Total 35.0 Pts / 87%

GOOD ADEQUATE MARGINAL WEAK POOR

Frontal Impact

12.0 / 16 Pts



Mobile Progressive Deformable Barrier



Full Width Rigid Barrier

Lateral Impact

15.0 / 16 Pts



Side Mobile Barrier



Side Pole



Far-Side Excursion



Occupant Interaction

Rear Impact

4.0 / 4 Pts



Rear Seat



Front Seat

 ADULT OCCUPANT

Total 35.0 Pts / 87%

GOOD

ADEQUATE

MARGINAL

WEAK

POOR

Rescue and Extrication		4.0 / 4 Pts
Rescue Sheet	Available, ISO compliant	
Advanced eCall	Available	
Multi Collision Brake	Available	
Submergence Check	Compliant	

Comments

The passenger compartment of the Audi Q3 remained stable in the frontal offset test. Dummy readings indicated good protection of the knees and femurs of both the driver and the front seat passenger. Audi showed that a similar level of protection would be provided to occupants of different sizes and to those sitting in different positions. Analysis of the deceleration of the impact trolley during the test, and analysis of the deformable barrier after the test, revealed that the Audi Q3 would be a moderately benign impact partner in a frontal collision. In the full-width rigid barrier test, dummy readings indicated marginal chest protection for the driver and rear passenger. Moreover, the pelvis of the driver dummy slipped beneath the lap portion of the seatbelt, a phenomenon known as 'submarining', and a penalty was applied. In both the side barrier test and the more severe side pole impact, good protection was provided to all critical body areas and the Audi Q3 scored maximum points in this part of the assessment. Control of excursion (the extent to which a body is thrown to the other side of the vehicle when it is hit from the far side) was found to be adequate. The Audi Q3 has a countermeasure to mitigate against occupant-to-occupant injuries in such impacts. Tests showed that, in some circumstances the centre airbag might not prevent head-to-head contact between the front seat occupants, and protection was rated as poor for this part of the assessment. Tests on the front seats and head restraints demonstrated good protection against whiplash injuries in the event of a rear-end collision. A geometric analysis of the rear seats also indicated good whiplash protection. The car has an advanced eCall system which alerts the emergency services in the event of a crash, and a system to prevent secondary impacts after the car has been in a collision. Audi demonstrated that the doors and windows would be openable to allow occupants to escape in the event of vehicle submergence.

 CHILD OCCUPANT

Total 42.5 Pts / 86%

GOOD ADEQUATE MARGINAL WEAK POOR

Crash Test Performance based on 6 & 10 year old children 23.5 / 24 Pts

Frontal Impact15.5 Pts



Lateral Impact8 Pts



Restraint for 6 year old child: Audi Junior Seat iSize
Restraint for 10 year old child: Audi Junior Seat iSize

Safety Features 7.0 / 13 Pts

	Front Passenger	2nd row outboard	2nd row center
Isofix	●	●	✗
i-Size	●	●	✗
Integrated CRS	✗	✗	✗
Top tether	●	●	✗
Child Presence Detection	✗	●	●

● Fitted to test car as standard ○ Not on test car but available as option ✗ Not available

CRS Installation Check 12.0 / 12 Pts

 i-Size	Seat Position				
	Front		2nd row		
			Left	center	Right
	●	●	●	—	●

● Easy ● Difficult ● Safety critical ✗ Not allowed
 Airbag ON Rearward facing restraint installation not allowed  Airbag OFF

 CHILD OCCUPANT

Total 42.5 Pts / 86%

 Isofix	Seat Position				
	Front		2nd row		
			Left	center	Right
	●	●	●	—	●
	✗	●	●	—	●
	●	●	●	—	●
	●	●	●	—	●
	●	●	●	—	●
	✗	●	●	—	●

● Easy ● Difficult ● Safety critical ✗ Not allowed

 Airbag ON Rearward facing restraint installation not allowed  Airbag OFF

Seatbelt Attached	Seat Position				
	Front		2nd row		
			Left	center	Right
	✗	●	●	●	●
	●	●	●	●	●
	●	●	●	●	●
	●	●	●	●	●
	●	●	●	✗	●
	✗	●	●	✗	●

● Easy ● Difficult ● Safety critical ✗ Not allowed

 Airbag ON Rearward facing restraint installation not allowed  Airbag OFF



CHILD OCCUPANT

Total 42.5 Pts / 86%

Comments

In the frontal offset test, protection of all critical parts of the body was good or adequate for both the 6 and 10 year dummies. In the side barrier impact, protection was good for both the 6 and 10 year dummies and maximum points were scored. The front passenger airbag can be disabled to allow a rearward-facing child restraint to be used in that seating position. Clear information is provided to the driver regarding the status of the airbag and the system was rewarded. The Q3 is equipped with an indirect "child presence detection" system, which issues a warning when it detects a child or infant may have been left in the car. All of the child restraint types for which the Audi Q3 is designed could be properly installed and accommodated in the car.



VULNERABLE ROAD USERS

Total 51.0 Pts / 80%

GOOD

ADEQUATE

MARGINAL

WEAK

POOR

VRU Impact Protection

28.4 / 36 Pts



Pedestrian & Cyclist Head	11.8 Pts
Pelvis	3.1 Pts
Femur	4.5 Pts
Knee & Tibia	9.0 Pts

VRU Impact Mitigation

22.6 / 27 Pts

System Name	Active Front Assist
Type	Auto-Brake with Forward Collision Warning
Operational From	5 km/h
PERFORMANCE	

AEB Pedestrian

6.8 / 9 Pts

Scenario	Day time	Night time
Car reversing into adult or child		—
Adult crossing a road into which a car is turning		—
Adult crossing the road		
Child running from behind parked vehicles		
Adult along the roadside		

— Currently not tested

AEB Cyclist

7.8 / 8 Pts

Scenario	Day time
Approaching cyclist crossing from behind parked vehicles	
Turning across path of an oncoming cyclist	
Approaching a crossing cyclist	
Approaching a cyclist along the roadside	



VULNERABLE ROAD USERS

Total 51.0 Pts / 80%



GOOD



ADEQUATE



MARGINAL



WEAK



POOR

Cyclist Dooring Prevention

0.0 / 1 Pts

Scenario	
Dooring a passing cyclist	

AEB Motorcyclist

6.0 / 6 Pts

Scenario	Autobrake function only	Driver reacts to warning
Approaching a stationary motorcyclist		
Approaching a braking motorcyclist		
Turn across the path of an oncoming motorcyclist		—

— Currently not tested

Lane Support Motorcyclist

2.0 / 3 Pts

Scenario	Day time
Changing lane across the path of an oncoming motorcyclist	
Changing lane across the path of an overtaking motorcyclist	

Comments

Protection of the head of a struck pedestrian or cyclist was largely good or adequate, with poor results recorded on the stiff windscreen pillars and at the base and top of the screen. Protection of the pelvis was mostly good. Protection of the femur was good at all test locations, while that of the knee and tibia was good at all test locations. The autonomous emergency braking system of the Audi Q3 responds to vulnerable road users such as pedestrians and cyclists, as well as to other vehicles. In tests of its response to pedestrians, the system performed well but protection of those to the rear of the car is an option and was not included in this assessment. Likewise, protection against 'dooring', where a door is opened into the path of a cyclist approaching from behind, is also optional and not assessed. Otherwise, the system performed well in tests of its reaction to cyclists, while its response to motorcyclists was also good.

 SAFETY ASSIST

Total 14.1 Pts / 78%

GOOD ADEQUATE MARGINAL WEAK POOR

Speed Assistance 1.7 / 3 Pts

System Name	Intelligent Speed Assist
Speed Limit Information Function	Camera & Map, subsigns supported
Speed Limitation Function	Intelligent Speed Limiter not default ON (accurate to 5km/h)

Occupant Status Monitoring 1.3 / 3 Pts

> Seatbelt Reminder 1.0 / 1 Pts	
Applies To	Front and rear seats
Warning	Driver SeatFront Passenger(s)Rear Passenger(s)
Visual	●●●
Audible	●●●
Occupant Detection	—●●
● Pass ● Fail — Not available	
> Driver Monitoring 0.3 / 2 Pts	
System Name	Fatigue Warning
Type	Indirect monitoring
Operational From	10 km/h
Fatigue	Drowsiness

 SAFETY ASSIST

Total 14.1 Pts / 78%

Lane Support 2.5 / 3 Pts

System Name	Lane departure Warning
Type	LKA and ELK
Operational From	65 km/h
PERFORMANCE	
Emergency Lane Keeping	 GOOD
Lane Keep Assist	 GOOD
Human Machine Interface	 GOOD

AEB Car-to-Car 8.6 / 9 Pts

System Name	Active Front Assist
Type	Autonomous emergency braking and forward collision warning
Operational From	5 km/h
Sensor Used	camera and radar

Scenario	Autobrake function only	Driver reacts to warning
Approaching a car crossing a junction		
Approaching a car head-on		
Turning across the path of an oncoming car		
Approaching a stationary car		
Approaching a slower moving car		
Approaching a braking car		

 Currently not tested



SAFETY ASSIST

Total 14.1 Pts / 78%

Comments

Overall, the performance of the autonomous emergency braking (AEB) system was good in tests of its reaction to other vehicles. A seatbelt reminder system is fitted as standard to the front and rear seats. The car has an indirect driver status monitoring system as standard, detecting driver fatigue but not distraction. The lane support system gently corrects the vehicle's path if it is drifting out of lane and also intervenes in some more critical situations. The speed assistance system identifies the local speed limit. The driver can choose to allow the limiter to be set automatically by the system.

RATING VALIDITY



Variants of Model Range

Body Type	Engine	Model Name/Code	Drivetrain	Rating Applies	
				LHD	RHD
5 door SUV 5 door hatchback	1.5 TSI 110kW	Audi Q3 SUV TFSI 110 kW * Audi Q3 Sportback TFSI 110 kW	4 x 2	✓	✓
5 door SUV 5 door hatchback	2.0 TSI 150kW	Audi Q3 SUV TFSI quattro 150 kW Audi Q3 Sportback TFSI quattro 150 kW	4 x 4	✓	✓
5 door SUV 5 door hatchback	2.0 TSI 195kW	Audi Q3 SUV TFSI quattro 195 kW Audi Q3 Sportback quattro TFSI 195 kW	4 x 4	✓	✓
5 door SUV 5 door hatchback	2.0 TDI 110kW	Audi Q3 SUV TDI 110 kW Audi Q3 Sportback TDI 110 kW	4 x 2	✓	✓
5 door SUV 5 door hatchback	2.0 TDI 142kW	Audi Q3 SUV TDI quattro 142 kW Audi Q3 Sportback TDI quattro 142 kW	4 x 4	✓	✓
5 door SUV 5 door hatchback	1.5 TSI 200kW	Audi Q3 e-hybrid 200kW Audi Q3 Sportback e-hybrid 200kW	4 x 2	✓	✓

* Tested variant

Annual Reviews and Facelifts

Date	Event	Outcome	
October 2025	Rating Published	2025 ★★★★★	✓