



MG ZS EV
Standard Safety Equipment

2019



Adult Occupant



90%

Child Occupant



85%

Vulnerable Road Users



64%

Safety Assist



70%

SPECIFICATION

Tested Model	MG ZS EV, LHD
Body Type	- 5 door SUV
Year Of Publication	2019
Kerb Weight	1491kg
VIN From Which Rating Applies	- all ZS EV's
Class	Small Family Car

 Rating Expired

SAFETY EQUIPMENT

	Driver	Passenger	Rear
FRONTAL CRASH PROTECTION			
Frontal airbag	●	●	✗
Belt pretensioner	●	●	●
Belt loadlimiter	●	●	●
Knee airbag	✗	✗	✗
SIDE CRASH PROTECTION			
Side head airbag	●	●	●
Side chest airbag	●	●	✗
Side pelvis airbag	●	●	✗

	Driver	Passenger	Rear
CHILD PROTECTION			
Isofix/i-Size	—	✗	●
Integrated CRS	—	✗	✗
Airbag cut-off switch	—	●	—
SAFETY ASSIST			
Seat Belt Reminder	●	●	●

SAFETY EQUIPMENT (NEXT)

	Driver	Passenger	Rear
CHILD PROTECTION			
Isofix/i-Size	—	✗	●
Integrated CRS	—	✗	✗
Airbag cut-off switch	—	●	—
SAFETY ASSIST			
Seat Belt Reminder	●	●	●
OTHER SYSTEMS			
Active Bonnet (Hood)	✗		
AEB Pedestrian	●		
AEB City	●		
AEB Cyclist	●		
AEB Inter-Urban	●		
Speed Assistance System	●		
Lane Assist System	●		

Note: Other equipment may be available on the vehicle but was not considered in the test year.

- Fitted to the vehicle as standard ○ Fitted to the vehicle as part of the safety pack
- Not fitted to the test vehicle but available as option or as part of the safety pack ✗ Not available — Not applicable

 ADULT OCCUPANT

Total 34.5 Pts / 90%

 GOOD	 ADEQUATE	 MARGINAL	 WEAK	 POOR
--	--	--	--	--

Frontal Offset Deformable Barrier 7.4 / 8 Pts



Passenger



Driver

Frontal Full Width



Rear Passenger



Driver

Whiplash Rear Impact 1.7 / 2 Pts



Front seat



Rear seat

Lateral Impact



Car



Pole

 ADULT OCCUPANT


Total 34.5 Pts / 90%

 GOOD ADEQUATE MARGINAL WEAK POOR


AEB City

 4.0 / 4 Pts


Approaching a stationary car: Left Offset



Approaching a stationary car: No Offset



Approaching a stationary car: Right Offset





ADULT OCCUPANT

Total 34.5 Pts / 90%

Comments

The passenger compartment of the ZS EV remained stable in the frontal offset test. Dummy readings indicated good protection of the knees and femurs of both the driver and passenger. MG showed that a similar level of protection would be provided to occupants of different sizes and to those sitting in different positions. In the full-width rigid barrier test, protection of the driver was good for all critical parts of the body. For the rear passenger, readings of chest compression indicated a weak level of protection but it was good or adequate for other parts of the body. In the side barrier impact, all critical body areas were well protected and the ZS EV scored maximum points in this test. In the more severe side pole test, protection of the chest was rated as weak, based on dummy readings of rib compression, while that of other body areas was good. Tests on the front seats and head restraints demonstrated good protection against whiplash injuries in the event of a rear-end collision. A geometric assessment of the rear seats also indicated good whiplash protection. The standard-fit autonomous emergency braking (AEB) system performed well in tests of its functionality at the low speeds, typical of city driving, at which many whiplash injuries occur, with collisions avoided or mitigated in all test scenarios.


 CHILD OCCUPANT

Total 41.7 Pts / 85%



Crash Test Performance based on 6 & 10 year old children

22.7 / 24 Pts

Frontal Impact	14.7 Pts	Lateral Impact	8 Pts
			

Restraint for 6 year old child: *Britax Römer KIDFIX II XP SICT*Restraint for 10 year old child: *Booster Cushion*

Safety Features

7.0 / 13 Pts

	Front Passenger	2nd row outboard	2nd row center
Isofix	✗	●	✗
i-Size	✗	●	✗
Integrated CRS	✗	✗	✗

 Fitted to test car as standard

 Not on test car but available as option

 Not available

CRS Installation Check

12.0 / 12 Pts

● Install without problem ● Install with care ● Safety critical problem ✖ Installation not allowed

■ i-Size CRS

Maxi Cosi 2way Pearl & 2wayFix (rearward) (iSize)



Maxi Cosi 2way Pearl & 2wayFix (forward) (iSize)



BeSafe iZi Kid X2 i-Size (iSize)



BeSafe iZi Flex FIT i-Size (iSize)



■ ISOFIX CRS

Maxi Cosi Cabriofix & FamilyFix (ISOFIX)



BeSafe iZi Kid X4 ISOfix (ISOFIX)



Britax Römer Duo Plus (ISOFIX)



Britax Römer KidFix XP (ISOFIX)



 CHILD OCCUPANT

Total 41.7 Pts / 85%

■ Universal Belted CRS

Maxi Cosi Cabriofix (Belt)



Maxi Cosi Cabriofix & EasyBase2 (Belt)



Britax Römer King II LS (Belt)



Britax Römer KidFix XP (Belt)



Comments

In the frontal offset test, protection of both child occupants was good or adequate with the exception of the neck of the 10 year dummy, for which readings of neck tension indicated marginal protection. In the side barrier test, protection of all critical body areas was good for both 6 and 10 year dummies and the ZS EV scored maximum points in this part of the assessment. The front passenger airbag can be disabled to allow a rearward-facing child restraint to be used in that seating position. Clear information is provided to the driver regarding the status of the airbag and the system was rewarded. All of the child restraint types for which the ZS EV is designed could be properly installed and accommodated in the car.

 CHILD OCCUPANT

Total 41.7 Pts / 85%

	Seat Position			
	Front		2nd row	
	PASSENGER	LEFT	CENTER	RIGHT
Maxi Cosi 2way Pearl & 2wayFix (rearward) (iSize)	—	●	—	●
Maxi Cosi 2way Pearl & 2wayFix (forward) (iSize)	—	●	—	●
BeSafe iZi Kid X2 i-Size (iSize)	—	●	—	●
BeSafe iZi Flex FIT i-Size (iSize)	—	●	—	●
Maxi Cosi Cabriofix & FamilyFix (ISOFIX)	—	●	—	●
BeSafe iZi Kid X4 ISOfix (ISOFIX)	—	●	—	●
Britax Römer Duo Plus (ISOFIX)	—	●	—	●
Britax Römer KidFix XP (ISOFIX)	—	●	—	●
Maxi Cosi Cabriofix (Belt)	●	●	●	●
Maxi Cosi Cabriofix & EasyBase2 (Belt)	●	●	●	●
Britax Römer King II LS (Belt)	●	●	●	●
Britax Römer KidFix XP (Belt)	●	●	●	●

● Easy ● Difficult ● Safety critical ✖ Not allowed — Not available

Comments

In the frontal offset test, protection of both child occupants was good or adequate with the exception of the neck of the 10 year dummy, for which readings of neck tension indicated marginal protection. In the side barrier test, protection of all critical body areas was good for both 6 and 10 year dummies and the ZS EV scored maximum points in this part of the assessment. The front passenger airbag can be disabled to allow a rearward-facing child restraint to be used in that seating position. Clear information is provided to the driver regarding the status of the airbag and the system was rewarded. All of the child restraint types for which the ZS EV is designed could be properly installed and accommodated in the car.



VULNERABLE ROAD USERS

Total 31.0 Pts / 64%



VRU Impact Protection

26.7 / 36 Pts



Head Impact	17.0 Pts
Pelvis Impact	3.7 Pts
Leg Impact	6.0 Pts

Vulnerable Road Users

4.3 / 12 Pts

System Name	Automatic Emergency Braking System for Pedestrians
Type	Auto-Brake with Forward Collision Warning
Operational From	4 km/h

Comments

The bonnet provided predominantly good or adequate protection to the head of a struck pedestrian, with only a few poor results on the stiff windscreen pillars. The bumper provided good protection to pedestrians' legs at all test locations. However, protection of the pelvis area was mixed. The AEB system of the ZS EV can detect vulnerable road users like pedestrians and cyclists, as well as other vehicles. In tests of its response to such road users, the system showed marginal performance.




VULNERABLE ROAD USERS

Total 31.0 Pts / 64%


AEB Pedestrian

■ Day time


Adult crossing the road



Child running from behind parked vehicles



Adult along the roadside



■ Night time

Adult crossing the road



Adult along the roadside




AEB Cyclist

Approaching a crossing cyclist



Cyclist along the roadside



 **SAFETY ASSIST**

Total 9.2 Pts / 70%


Speed Assistance
 **2.3 / 3 Pts**

System Name	Speed Assistance System
Speed Limit Information Function	Camera based
Speed Limitation Function	System advised (accurate to 5km/h)

Seatbelt Reminder
 **2.5 / 3 Pts**

Applies To	All Seats		
	Driver Seat	Front Passenger(s)	Rear Passenger(s)
Warning			
Visual	●	●	●
Audible	●	●	●
Occupant Detection	—	●	—

 Pass  Fail  Not available
Lane Support
 **1.8 / 4 Pts**

System Name	Lane Departure Prevention System
Type	LKA (including LDW)
Operational From	60 km/h

PERFORMANCE

Emergency Lane Keeping	 POOR
Lane Keep Assist	 GOOD
Human Machine Interface	 ADEQUATE

 SAFETY ASSIST

Total 9.2 Pts / 70%

AEB Inter-Urban

2.6 / 3 Pts


System Name	Forward Collision Warning System & Automatic Emergency Braking System
Type	Autonomous Emergency Braking and Forward Collision Warning
Operational From	4 km/h
Additional Information	Supplementary warning

Comments


The ZS EV has a seatbelt reminder for the front and rear seats. A speed assistance system uses a camera to determine the local speed limit. This information is presented to the driver who can set the limiter to the appropriate speed. A lane support system helps to prevent inadvertent drifting out of lane. During tests of the AEB system against another vehicle at highway speeds, low-speed impacts with the target meant that the radar had to be re-aligned and the system re-set several times. Such repeated activation of the AEB system and impact with a target is unrepresentative of the real world and the performance of the system was rated as good, with collisions avoided or mitigated in most circumstances.

■ Autobrake function only

Approaching a slower moving car




Approaching a slower moving car



Approaching a slower moving car



Approaching a braking car




 SAFETY ASSIST


Total 9.2 Pts / 70%

■ Driver reacts to warning


Approaching a stationary car




Approaching a stationary car




Approaching a stationary car




Approaching a slower moving car




Approaching a slower moving car



Approaching a slower moving car



Approaching a braking car



RATING VALIDITY

Variants of Model Range

Body Type	Engine & Transmission	Model Name/Code	Drivetrain	Rating Applies	
				LHD	RHD
5 door SUV	Battery electric*	'Excite' 'Exclusive'	4 x 2	✓	✓

* Tested variant

Annual Reviews and Facelifts

Date	Event	Outcome	
December 2019	Rating Published	2019 ★ ★ ★ ★ ★	✓
December 2020	Annual Review	2019 ★ ★ ★ ★ ★	✓
December 2021	Annual Review	2019 ★ ★ ★ ★ ★	✓
December 2022	Annual Review	2019 ★ ★ ★ ★ ★	✓
December 2023	Annual Review	2019 ★ ★ ★ ★ ★	✓